



Zhejiang Jinke Metal Products Co., Ltd.

BETTER PRODUCTS BETTER SERVICE FOR BETTER LIFE



Belt & Rope Stanchions
Crowd Control Systems



JINKE
JAZZ 爵[®]
MULTI-FUNCTIONAL
STANCHION

多功能栏杆座

Belt

High - quality silent band, Various types of logo can be customized

优质的静音拉带，可定制各式logo



Top

The top pattern is customizable
顶部可定制图案



Lock

Patent One-handed lock structure easy to operate
专利单手锁定结构，操作简便



Shell

Bend design, reinforced structure and safer use of the horn plate

喇叭盘内卷边设计，强化结构，使用更安全



Bumper

Jinke's three-axis buffer structure has stable performance and obvious deceleration effect

金柯 爵士的三轴缓冲结构性能稳定，减速效果明显



Trap

Anti-uv type outdoor spray molding, Elegant


抗uv型户外喷塑，历久弥新



Base

High quality rubber gasket, silent , stable in position

优质橡胶垫圈，静音防滑，摆放稳定



JINKE

OTHER

Connection


Jinke railing seat special connection-Comparison of structural design of anti-loosening

金柯栏杆座专用连接件防松的结构设计对比



LG-0058

Material 材料	Stainless Steel/Steel 不锈钢 / 铁	
Finish 表面工艺	Painting / Powder / Chromate Treatment / Titanium Plating / Wiredrawing / Mirror 烤漆 / 喷塑 / 镀铬 / 镀钛 / 拉丝 / 镜面	
Height 高度	920mm	
BASS DIAMETER 底盘直径	320mm	
POLE DIAMETER 杆体直径	63mm	
Weight 重量	7.5KG	



LG-0077/LG-0077-1

Material 材料	Stainless Steel 不锈钢	
Weight 重量	9.5KG	
Height 高度	920mm	
BASS DIAMETER 底盘直径	360mm	
POLE DIAMETER 杆体直径	63mm/51mm	



LG-0058-9

Height 高度	450mm / 750mm / 1050mm		
BASS DIAMETER 底盘直径	350mm	POLE DIAMETER 杆体直径	63mm





LG-0082/LG-0082-1

Height 高度	920mm / 600mm
BASS DIAMETER 底盘直径	320mm
POLE DIAMETER 杆体直径	51mm/63mm
Weight 重量	7.5KG/7KG



LG-0079/LG-0079-1

Height 高度	920mm / 600mm
BASS DIAMETER 底盘直径	360mm
POLE DIAMETER 杆体直径	51mm/63mm
Weight 重量	7KG /6.5KG



LG-0080/LG-0080-1

Height 高度	920mm / 600mm
BASS DIAMETER 底盘直径	350mm
POLE DIAMETER 杆体直径	63mm
Weight 重量	8.5KG/8KG

表面处理 surface treatment



Mirror Silver
镜面银色



Silver Brushed
拉丝银色



Chroming
镀铬



Titanium
钛金



Rose gold
玫瑰金

静电喷涂 Electrostatic spraying



PANTONE
Cool Gray 6c



PANTONE
663c



PANTONE
1225c



PANTONE
7683c



PANTONE
black 6c



PANTONE
7500c



PANTONE
Cool Gray 9c





PANTONE
454c



PANTONE
485c



PANTONE
black 6c



潘通参考色值
Pantone reference color value


平条纹拉带 LESportsac	1	7619c	2	5605c	3	7672c	4	663c	5	7606c	6	7577c
	7	1815c	8	393c	9	625c	10	284c	11	black 6c		
人字纹拉带 DIAGONAL STRIPE	A	704c	B	101c	C	7535c	D	7736c	E	7687c	F	433c
	G	2726c+663c	H	7765c+446c	I	7795c+663c						

JAZZ

SAPPSIRE BLUE

宝石蓝





FUNCTION OF BANNER
广告布/宽围栏功能




FUNCTION OF TABLE
填单台功能



FUNCTION OF ROPE
挂绳与指示牌功能



FUNCTION OF SIDPLAY BOWL
置物盘



 PANTONE 2756C



JAZZ

EMERALD GREEN

翡翠绿





FUNCTION OF BANNER
广告布/宽围栏功能




FUNCTION OF TABLE
填单台功能



FUNCTION OF ROPE
挂绳与指示牌功能



FUNCTION OF SIDPLAY BOWL
置物盘



JAZZ


PRETTY PINK

丽人粉






FUNCTION OF BANNER
广告布/宽围栏功能




FUNCTION OF SIGNBOARD
指示牌功能



FUNCTION OF ROPE
挂绳功能



FUNCTION OF FENCING ROPE
围栏绳功能



 PANTONE 503C



JAZZ

STREAMER WHITE

流光白





FUNCTION OF BANNER
广告布/宽围栏功能




FUNCTION OF TABLE
填单台功能



FUNCTION OF SIGNBOARD
指示牌与置物盘功能



FUNCTION OF FENCING ROPE
围栏绳功能




PANTONE 663C



SEMI FIXED RAILING

半固定式栏杆



LG-0073

Height 高度 920mm
POLE DIAMETER 杆体直径 63mm

BASS DIAMETER 底盘直径 130mm



LG-0073 插地式栏杆座
GROUND FIXED RAILINGS

杆身末端与预埋在地下的底座相插固定，组合方便，与普通栏杆座相比更具有牢固性和稳定性

The end of the rod body is inserted and fixed with the base buried underground, which is convenient to assemble and has more firmness and stability than the ordinary railings.

LG-0074

Height 高度 920mm
POLE DIAMETER 杆体直径 63mm


BASS DIAMETER 底盘直径 200mm



LG-0074 磁吸式栏杆座
MAGNETIC RAILINGS

栏杆座底盘底部装有强力钕磁铁，与预埋在地面的固定盘磁力相连，安装方便，拆卸简单，应对不同情境可科学组装栏杆座来管理人流

A strong rubidium magnet is installed at the bottom of the rail base chassis, which is connected with the magnetic force of the fixed disk embedded in the ground. It is convenient to install and disassemble. The rail base can be scientifically assembled to manage the flow of people in different situations.



LG-0072

博物馆栏杆座 MUSEUM RAILINGS



HEIGHT

600mm

BASE DIAMETER

350mm

POLE DIAMETER

38mm

ROPE LENGTH

2m/5m/10m (CAN BE CUSTOMIZED)

总高

600mm

底盘直径

350mm

杆体直径

38mm


绳长

2m/5m/10m (可定制)



JAZZ MULTIFUNCTIONAL ACCESSORIES

爵士多功能配件



LG-0070

LG-0070-5 LG-0070 LG-0070-1

SIGN HOLDER
一字指示牌

300*10*360mm
铁喷塑/不锈钢/钛金
Iron spray/stainless steel/Titanium

LG-0069

LG-0069-2 LG-0069 LG-0069-1

U-TYPE SIGN HOLDER
U型指示牌

300*10*360mm
铁喷塑/不锈钢/钛金
Iron spray/stainless steel/Titanium

LG-0085

WRITING TAB
填单台

1340*250*120mm

LG-0059-1

FENCING ROPE
展示围栏绳

2/5/10M

LG-0070

LG-006 LG-0070-2 LG-0070-3

SIGN HOLDER
指示牌

220*330mm
铁喷塑/不锈钢/钛金
Iron spray/stainless steel/Titanium

LG-0086

STORAGE TRAY
置物盘

250*250*340mm

LG-0086-1

STORAGE TRAY
置物盘

600*250*340mm

LG-0084

LG-0059 LG-0084 LG-0084-1

ROPE RECEIVER
挂绳头

25mm*60mm

LG-0083

A-SHAPED BELT CASSETTE
A字拉手慢缓冲伸缩头

3-5m通用
3-5m Universal

LG-0083-1

JAZZ BELT CASSETTE
爵士伸缩头

2-3m通用
2-3m Universal

LG-S001

BELT CASSETTE
伸缩头

2-3m通用
2-3m Universal

LG-S001-0

8CM BELT CASSETTE
8cm拉带伸缩头

3-5m通用
3-5m Universal

JINKE
WALL MOUNTED
挂壁式 BARRIER

挂壁式伸缩带



WALL MOUNTED BARRIER

挂壁式伸缩带



铁喷塑
Iron spray



镜面不锈钢
Mirror stainless steel



不锈钢镀钛
Stainless steel titanium plating

LG-0064

MATERIAL
STAINLESS STEEL


BELT LENGTH
2m/3m

SIZE
140*63*135mm

材质工艺
不锈钢喷塑

伸缩带长
2m/3m

尺寸
140*63*135mm



Wall Receiver

挂壁锁扣

WALL MOUNTED BARRIER

挂壁式伸缩带



LG-0066-1

MATERIAL
IRON SPRAY/STAINLESS

BELT LENGTH
5m

SIZE
140*76*135mm

材质工艺
铁喷漆/不锈钢

伸缩带长
5m

尺寸
140*76*135mm



LG-0065B

MATERIAL
STAINLESS STEEL


BELT LENGTH
2m/3m

SIZE
140*63*135mm

材质工艺
不锈钢拉丝

伸缩带长
2m/3m

尺寸
140*63*135mm





JINKE
HONOR 荣华®
ROPE STANCHION

挂绳礼宾栏杆座

DESIGNER NOTES

荣华设计师手札



专利

栏杆座头花瓣仿佛是衣服的领子，顶部像是钻石，寓意着人们在会见重要的来宾时，都会整理衣冠，给他们的贵宾以钻石级的礼遇。

Inspired by the Stand Collar Personification Design
Diamond Cutting Surface More Solemn and Gorgeously



精致320°悬空设计

挂绳盘的设计，我们打破了常规挂绳盘的外观理念。在保证强度的前提下，我们通过巧妙的设计，让栏杆座的挂绳盘在**320°**视线内悬空于杆体，简约而又时尚，极富强烈的现代主义科技感。

Patented Design, 320-Degree Hanging Loop, Rope Direction Can be Adjusted Easily, Dangling Design, Simple and Stylish.



专利号：
Patent No:
ZL201530242057.8

SAPPHIRE BLUE

宝蓝款



LG-0053-16

MATERIAL AND FINISH
SAPPHIRE BLUE (ANTI-FINGERPRINT)

POLE DIAMETER
51cm

BASE DIAMETER
320mm

材质工艺
电镀金/纳米烤漆 (抗指纹)

杆体直径
51cm

底盘直径
320mm



LG-0053-15

SILVERY
银色款

MATERIAL AND FINISH
CHROMATE/STAINLESS STEEL

材质工艺
镀铬/不锈钢



LG-0053-13

CHROMING
镀铬款

MATERIAL AND FINISH
CHROMATE

材质工艺
镀铬



LG-0053-3B

BLACK SILVER
黑银款

MATERIAL AND FINISH
CHROMATE/IRON SPRAY

材质工艺
镀铬/铁喷型



LG-0053-1A

TITANIUM
钛金款

MATERIAL AND FINISH
TITANIUM GOLD

材质工艺
镀钛金



LG-0053-12

GLOSS GOLD
亮光金款

MATERIAL AND FINISH
ELECTRIC GOLD PLATING

材质工艺
电镀金



LG-0053-4A

BLACK GOLD
黑金款

MATERIAL AND FINISH
CHROMATE/IRON SPRAY

材质工艺
镀铬/铁喷漆



LG-0001BJS

HEIGHT/WEIGHT

1000mm/8kg

高度/重量

1000mm/8kg

MATERIAL/FINISH

STAINLESS STEEL/POLISHED

材质/工艺

不锈钢/抛光

POLE DIAMETER

51mm

杆体直径

51mm

BASE DIAMETER

350mm

底盘直径

350mm



LG-0035

HEIGHT/WEIGHT

970mm/7.5kg

高度/重量

970mm/7.5kg

MATERIAL/FINISH

STAINLESS STEEL/BRUSHED

材质/工艺

不锈钢/拉丝

POLE DIAMETER

51mm

杆体直径

51mm

BASE DIAMETER

320mm

底盘直径

320mm



LG-0081-1

HEIGHT/WEIGHT

600mm/7kg

高度/重量

600mm/7kg

MATERIAL/FINISH

STAINLESS STEEL/BRUSHED

材质/工艺

不锈钢/拉丝

POLE DIAMETER

51mm

杆体直径


51mm

BASE DIAMETER

360mm

底盘直径

360mm



LG-0063B

HEIGHT/WEIGHT

1000mm/8kg

高度/重量

1000mm/9.5kg

MATERIAL/FINISH

STAINLESS STEEL/BRUSHED

材质/工艺

不锈钢/拉丝

POLE DIAMETER

51mm

杆体直径

51mm

BASE DIAMETER

350mm

底盘直径

350mm



LG-0057

HEIGHT/WEIGHT

1050mm/13.5kg

高度/重量

1050mm/13.5kg

MATERIAL/FINISH

COPPER/PAINT

材质/工艺

铜/烤漆

POLE DIAMETER

55mm

杆体直径

55mm

BASE DIAMETER

360mm

底盘直径

360mm



LG-0075

HEIGHT/WEIGHT

800mm/7kg

高度/重量

800mm/7kg

MATERIAL/FINISH

POWDER/GLOSS GOLD

材质工艺

喷塑/镀金

POLE DIAMETER

38mm

杆体直径

38mm

BASE DIAMETER

320mm

底盘直径

320mm

ROPE
挂绳



Hanging Wall
Rope Ring
挂壁挂绳环



挂绳长：1.5M
挂绳直径：3.1cm
款式：麻绳/尼龙/绒绳

ROPE LENGTH : 1.5M
DIAMETER : 3.1cm
STYLE : hemp rope/nylon/velvet rope


美式挂绳
LG-A



英式挂绳
LG-E




BANNER
广告布



广告布长：1.4M
广告布高：76cm
材质：牛津布/UV布/网眼布

BANNER LENGTH : 1.4M
BANNER HEIGHT : 76cm
MATERIAL : Oxford Cloths/UV cloth/Eye cloth





JINKE
STANCHION
BARRIER 广告布

广告布栏杆座

LG-0076



BANNER MATERIAL
POLYESTER MESH
BANNER SIZE
1400*760mm
STANCHION MATERIAL
STAINLESS STEEL
HEIGHT
920mm
WEIGHT
20KG

广告布材质
涤纶网布
广告布尺寸
1400*760mm
栏杆座工艺
不锈钢
栏杆座高
920mm
重量
20KG



LG-022CB



BANNER MATERIAL
WATERPROOF OXFORD CLOTH
BANNER SIZE
1400*760mm
STANCHION MATERIAL
COLD ROLLED PLATE
HEIGHT
1000mm
WEIGHT
18KG

广告布材质
防水牛津布
广告布尺寸
1400*760mm
栏杆座工艺
黑色铁喷塑
栏杆座高
1000mm
重量
18KG



LG-0024L



BANNER MATERIAL
DOUBLE SIDE INKJET CLOTH
BANNER SIZE
1400*760mm
STANCHION MATERIAL
ALUMINUM
HEIGHT
920mm
WEIGHT
18KG

广告布材质
双喷布
广告布尺寸
1400*760mm
栏杆座工艺
铝
栏杆座高
920mm
重量
18KG



LG-023B



BANNER MATERIAL
WATERPROOF OXFORD CLOTH
BANNER SIZE
1400*760mm
STANCHION MATERIAL
STAINLESS STEEL
HEIGHT
1100mm
WEIGHT
16KG

广告布材质
防水牛津布
广告布尺寸
1400*760mm
栏杆座工艺
不锈钢
栏杆座高
1100mm
重量
16KG




LG-0058BGL



BANNER MATERIAL
WATERPROOF OXFORD CLOTH
BANNER SIZE
1400*760mm
STANCHION MATERIAL
IRON SPRAY/TITANIUM PLATING
HEIGHT
1000mm
WEIGHT
15KG

广告布材质
防水牛津布
广告布尺寸
1400*760mm
栏杆座工艺
铁喷塑/镀钛金
栏杆座高
1000mm
重量
15KG



LG-0058C




BANNER MATERIAL
DOUBLE SIDE INKJET CLOTH
BANNER SIZE
1400*760mm
STANCHION MATERIAL
IRON SPRAY
HEIGHT
920mm
WEIGHT
16KG

广告布材质
双喷布
广告布尺寸
1400*760mm
栏杆座工艺
铁喷塑
栏杆座高
920mm
重量
16KG



BANNER

广告布材质



WATERPROOF
OXFORD CLOTH
防水牛津布

Waterproof and anti cracking, support for multicolor and double sided printing.


防水防裂，支持多色、双面印刷



DOUBLE
SPRAY CLOTH
双喷布

Bright colors, delicate patterns, excellent display effect, support color, double sided printing.

色彩鲜明，图案细腻，展示效果极佳，支持彩色、双面印刷



EYELET
FABRIC
网布

Mesh light transmission, no obstruction of sight, strong wind resistance, support for multicolor, double sided printing.

网孔透光，不阻视线，抗风力强，支持多色、双面印刷





Zhejiang Jinke Metal Products Co., Ltd.

Add: No.88-3 Zhixia,Fuchun Town,Tonglu,Zhejiang,China

Tel:+86 571 881 16292

E-mail:info@jk1992.com

www.jkbxg.com